



High Security Seal · Data Sheet

Klicker



High Security Container Bolt Seal

ISO 17712 "H" Compliant · C-TPAT Compliant

A strong tamper-evident mechanical seal, the Klicker consists of a mild steel pin and bush moulded with resilient high-impact ABS.

With its high tensile strength, poke-yoke features and anti-spin locking mechanisms, the Klicker is a fortified container bolt seal widely used in shipping, securing intermodal containers and ground transportation.

Features

- 1 Mild steel pin and bush.
- 2 The pin and bush are moulded with high-impact ABS to provide high tamper evidence.
- 3 Oval-shaped pin and bush to mitigate 'spin attacks'. The anti-locking mechanism prevents friction and only allows 1-way locking.
- 4 Identical sequential numbers on both parts provide greater security as it prevents parts substitution or replacement.
- 5 Engraved paired pin and bush for easier handling.
- 6 The bush is etched with name, logo, sequential numbering and barcode using permanent laser marking. Laser marking offers the highest level of security as it cannot be removed or replaced.

Technical Specifications

PRODUCT

Material	Locking Length	Pin Diameter	Tensile Strength	Marking Area	Max Marking
Plastic pin and barrel: High-impact ABS	50 mm (0.04 in)	Ø 7 mm (Ø 0.28 in)	1500 kg/f (3307 lb/f)	10 x 24 mm (0.39 x 0.95 in)	Serial no: 9 digits
Pin and bush: Hardened Steel					

OUTER CARTON

Carton Quantity	Dimensions	Weight kg/carton	Volume m ³ /carton	Standard Colours
250 pcs	585 x 360 x 200 mm (23.0 x 14.17 x 7.87 in)	17.15kg (37.81 lbs)	0.042 m ³ (1.483 ft ³)	



FMM EXCELLENCE AWARD 2012
QUEST FOR CONTINUOUS IMPROVEMENT
BEST MANUFACTURER IN MALAYSIA IN 2012